KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-CCA0A6

Client: Axion Labs

Certified: 10/10/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION


Product	PT-141	**Form**	Lyophilized Powder
Batch	PT10-26J1	**Labeled Qty**	10 mg
Cap Color	Pink	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Purity	(>98%)	99.423% ✓
Net Content	(~10mg)	12.21 mg ✓
Identity Confirmation (LC-MS)	(PT-141)	PT-141 ✓

MASS SPECTRUM


ESI + mode, MS1 centroid Charge states confirmed **2**



Each coloured stick is a confirmed charge state of the compound(s) above, drawn at the intensity measured for that ion. Height is relative to the strongest confirmed ion and is not proportional to concentration; content is reported in the Test Results above.

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-CCA0A6

Access Code: P3MB21S